

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/973,762		10/11/2001	Toshiya Shimura	NU-01021	7580	
466	7590	07/06/2004		EXAMINER		
YOUNG			TAYLOR, BARRY W			
	TH 23RD STREET 2ND FLOOR TON, VA 22202			ART UNIT	PAPER NUMBER	
	ŕ			2643	((	
				•	DATE MAILED: 07/06/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

·							
	Application No.	Applicant(s)					
	09/973,762	SHIMURA ET AL.					
Office Action Summary	Examiner	Art Unit					
	Barry W Taylor	2643					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period was railure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	16(a). In no event, however, may a reply be tim within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from to cause the application to become ABANDONED	ely filed will be considered timely. he mailing date of this communication. 0 (35 U.S.C. § 133).					
Status							
1)⊠ Responsive to communication(s) filed on <u>14 June 2004</u> .							
2a) This action is <b>FINAL</b> . 2b) This action is non-final.							
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) ☐ Claim(s) 1-20 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-20 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or							
Application Papers							
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) acceed applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Examiner	epted or b) objected to by the E drawing(s) be held in abeyance. See on is required if the drawing(s) is obje	37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).					
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of	have been received. have been received in Application ty documents have been received (PCT Rule 17.2(a)).	on No d in this National Stage					
Attachment(c)							
Attachment(s)  1) Notice of References Cited (PTO-892)	4) Interview Summary (	PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date							
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date	5)  Notice of Informal Pa	tent Application (PTO-152)					

Art Unit: 2643

#### **DETAILED ACTION**

## Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

1. Claims 2, 6, 8-16 and 20 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Claims 2, 6, 8, 10, 12-13, 15-16 and 20 generally recite "up to 1.1 MHZ". The Examiner is unable to find support for Applicant's claimed subject matter. Furthermore, Applicant's figure 1 only goes up to 1 MHZ.

Claims 9, 11 and generally recite "3.2 MHz". The Examiner is unable to find support for Applicant's claimed subject matter. Furthermore, Applicant's figure only goes up to 1 MHZ.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2643

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

2. Claims 1-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Koeman et al (5,731,706 hereinafter Koeman) in view of Valenti et al (US 2002/0041565 Valenti et al hereinafter Valenti). The following rejection is being made for what is best understood by the Examiner due to the 112 first rejections listed above.

Regarding claims 1, 3 and 17. Koeman teaches a system for measuring cross-talk (Title, abstract) comprising:

polling means included in an outside line of an xDSL circuit installed in an office for pulling a subscriber line (see switch matrix 200 figures 5-6);

noise level measuring means for measuring a level of cross-talk noise on the subscriber line (see receiver 208 and 218 in figures 5-6); and

decision means for determining, based on the level of cross-talk noise measured, whether or not the subscriber line is usable (see microprocessor 212 figures 5-6 wherein signals are provide to the microprocessor allowing the microprocessor to

Art Unit: 2643

determine whether or not the subscriber line is usable or not by comparing the values to a look-up table---see 54 figures 5-6).

According to Applicant's newly added claim language and arguments, Koeman fails to teach wherein the measured cross-talk noise characteristic is cross-talk existing on the subscriber telephone line due to interference from other subscriber telephone lines. Instead, Koeman only focuses on home network line pairs having frequency in range beyond the newly recited range appearing in Applicant's amended claim language (see Amendment "C", paper number 13, dated 6/14/2004 and argument appearing on the last three lines of page 11). In other words, Koeman only focuses on home network lines having frequency range above xDSL services (i.e. between 25 kHz to 1.1 MHZ).

The reason for Koeman not considering xDSL frequency range is that Koeman tester is to be used during **installation phase** enabling installers the ability to verify proper transmission performance (see BACKGROUND of Koeman) of wire pairs.

Modifying Koeman tester to include testing for cross-talk after installation phase (i.e. inservice and/or existing) would only add flexibility to the tester as taught by Koeman.

Valenti provides the hardy needed tester (paragraphs 0034 to 0036) wherein volt meter (last two lines of paragraph 0046) is used to determine if crosstalk exists on bundled telephone cable (abstract, paragraphs 0046-0050). Valenti indeed characterizes crosstalk on a loop-by-loop basis enabling for a much more granular

Art Unit: 2643

crosstalk characterization of plant (paragraphs 0010-0011) by focusing on limited frequencies (i.e. ISDN and ADSL) having unique crosstalk power spectral density (see figure 11 and paragraph 0036). Valenti also uses the terms "NEXT" and "FEXT" to classify the two types of crosstalk (paragraphs 0041-0041). Valenti even identifies services that are generating crosstalk on a pair that may not even be carrying DSL services (see middle of paragraph 0046). Valenti also uses measures crosstalk noise of subscriber line only within an xDSL transmission frequency band (see figures 5-7) including SDSL (see Table 2 page 5) to properly identify disturbers (paragraphs 0052-0054). Valenti is capable of identifying mixed crosstalk when at least two different services are present in a binder (paragraph 0055).

Therefore, it would have been obvious for one of ordinary skill in the art at the time of the invention to modify the tester as taught by Koeman to use limited frequencies as taught by Valenti for the benefit of testing for crosstalk after installing new bundles of cable thereby creating a more flexible tester that may be used not only during installation but a tester that may be used after installation as well.

Regarding Claim 2. Valenti teaches the measurement of crosstalk is made without injecting a test tone onto the subscriber telephone line (see figure 2 wherein voltage measurement of TIP an RING used) only within a frequency band up to 1.1 MHZ (paragraphs 0036, 0041 and 0050, see frequencies listed in figures 4-10).

Art Unit: 2643

Regarding claim 4. Koeman discloses using a switch matrix 200 figures 5-6 for selecting a set of wire pairs 1-4 to be tested.

Regarding claims 5 and 7. Koeman teaches wherein the noise level measuring means comprises:

a voltage measuring circuit for measuring cross-talk noise voltage input via relays (see figures 5-6 wherein a signal source 202 produces stimulus signal input via relay matrix 200 and measuring circuit (i.e. RECEIVER) receives response signal and converts the response signal to a digital signal 208 and transforms the digital signal to noise spectrum by using FFT processor 210); and

an ADC circuit ... (see figures 5-6 wherein a signal source 202 produces stimulus signal input via relay matrix 200 and measuring circuit (i.e. RECEIVER) receives response signal and converts the response signal to a digital signal 208 and transforms the digital signal to noise spectrum by using FFT processor 210); and

an FFT circuit ... (see figures 5-6 wherein a signal source 202 produces stimulus signal input via relay matrix 200 and measuring circuit (i.e. RECEIVER) receives response signal and converts the response signal to a digital signal 208 and transforms the digital signal to noise spectrum by using FFT processor 210).

Regarding claims 6 and 8. Koeman teaches wherein the decision means comprises means for comparing the noise spectrum data with a template for noise level decision to thereby determining whether or not the subscriber line is usable (see figures 5-6 wherein a look-up table (i.e. template) is used for comparing the FFT signal (i.e. noise spectrum) to values stored in look-up table 54). Valenti also teaches xDSL

Art Unit: 2643

frequency range (paragraphs 0036, 0041 and 0050, see frequencies listed in figures 4-10).

Regarding claims 9-16 and 20. The following rejection is being made for what is best understood by the Examiner due to the 112 first rejections listed above. Valenti teaches noise levels of existing xDSL services operating in xDSL frequency ranges (paragraphs 0036, 0041 and 0050, see frequencies listed in figures 4-10).

Regarding claim 18. Valenti teaches ISDN signal (paragraphs 0036, 0041 and 0050, see frequencies listed in figures 4-10).

Regarding claim 19. Valenti teaches a second xDSL channel (paragraph 0055).

## Response to Arguments

3. Applicant's arguments with respect to claims 1 and 3 have been considered but are most in view of the new ground(s) of rejection.

### Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Barry W. Taylor whose telephone number is (703) 305-4811. The examiner can normally be reached on Monday-Friday from 6:30am to 4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Curtis Kuntz can be reached on (703) 305-4708. The fax phone number for this Group is (703) 872-9306.

Art Unit: 2643

Page 8

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to Technology Center 2600 customer service Office whose telephone number is (703) 306-0377.

CUBLIS KUNTZ SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600